

इंटरनेट

मानक

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 8558 (1977): Neem Cake for Manuring [FAD 7: Soil Quality and Gertilizers]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”


BLANK PAGE



IS , 8558 - 1977

Indian Standard
SPECIFICATION FOR
NEEM CAKE FOR MANURING

UDC 665.117.2 : 665.325.527 : 631.877



© Copyright 1977

INDIAN STANDARDS INSTITUTION
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

Price-Rs 5-00

December 1977

Indian Standard

SPECIFICATION FOR NEEM CAKE FOR MANURING

Acids and Fertilizers Sectional Committee, CDC 24

Chairman

DR K. N. SYNGHAL

Representing

Ministry of Agriculture and Irrigation (Crops Division)

Members

| | |
|--|---|
| SHRI A. C. GARG (<i>Alternate to</i> Shri K. N. Synghal) | |
| AGRICULTURAL CHEMIST | Andhra Pradesh Agricultural University, Hyderabad |
| SHRI BAHUBALI GULABCHAND | Indian Sugar Mills Association, Calcutta |
| SHRI P. C. SAWHNEY (<i>Alternate</i>) | |
| SHRI D. H. BEDEKAR | Ministry of Defence |
| SHRI A. K. BHATTACHARYYA | National Test House, Calcutta |
| SHRI K. D. DAS (<i>Alternate</i>) | |
| SHRI S. CHANDRASEKHAR | Planning Commission |
| SHRI A. W. COURT | Shaw Wallace & Co Ltd, Calcutta |
| SHRI C. MURUGESAN (<i>Alternate</i>) | |
| DR N. C. DEBNATH | Bidhan Chandra Krishi Viswa Vidyalaya, Kalyani |
| DR B. K. DHAR | Ministry of Agriculture and Irrigation (Fertilizer Division) |
| SHRI K. R. AGGARWAL (<i>Alternate</i>) | |
| DR G. I. D'SOUZA | Coffee Board, Bangalore |
| SHRI C. S. GOURISHANKARAN | Directorate General, Ordnance Factories (Ministry of Defence), Calcutta |
| SHRI M. S. GROVER | Directorate General of Technical Development, New Delhi |
| SHRI M. SUBRAMANIAM (<i>Alternate</i>) | |
| SHRI V. R. R. GUPTA | Madras Fertilizers Ltd, Madras |
| DR T. S. VISWASNATHAN (<i>Alternate</i>) | |
| SHRI U. N. HUKKU | Indian Chemical Manufacturers Association, Calcutta |
| SHRI B. S. GILRA (<i>Alternate</i>) | |
| SHRI JOHN K. JOHN | E. I. D.-Parry (India) Ltd, Madras |
| SHRI N. S. PARTHASARATHY (<i>Alternate</i>) | |
| DR JOSEPH XAVIER | The Fertilizers and Chemicals Travancore Ltd, Udyogamandal |
| SHRI T. NATARAJAN (<i>Alternate</i>) | |

(Continued on page 2)

© Copyright 1977

INDIAN STANDARDS INSTITUTION

This publication is protected under the *Indian Copyright Act* (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

(Continued from page 1)

| <i>Members</i> | <i>Representing</i> |
|--|--|
| DR N. PATNAIK PROFESSOR OF AGRICULTURAL CHEMISTRY, COLLEGE OF AGRICULTURE, PUNE | Indian Council of Agricultural Research, New Delhi Agricultural Chemist to the Government of Maharashtra, Pune |
| DR B. RAMAMOORTHY DR N. S. RANDHAWA | Indian Agricultural Research Institute, New Delhi Agricultural Department, Government of Punjab, Chandigarh |
| SHRI A. K. RAO SHRI R. P. GUPTA (<i>Alternate</i>) | The D. C. M. Chemical Works, New Delhi |
| SHRI SATYA NAND SHRI V. S. SIVASHANKARAN (<i>Alternate</i>) | The Fertilizer Association of India, New Delhi |
| DR G. S. SEKHON SHRI S. SUBBIAH | Punjab Agricultural University, Ludhiana Directorate General of Supplies & Disposals, New Delhi |
| SHRI N. G. S. IYER (<i>Alternate</i>) | Hindustan Steel Ltd, Rourkela |
| SHRI M. THEYUNNI DR M. S. VAIDYA SHRI P. V. S. RAO (<i>Alternate</i>) | The Dharamsi Morarji Chemical Co Ltd, Bombay |
| DR S. VERMA DR K. M. VERMA (<i>Alternate</i>) | The Fertilizer Corporation of India Ltd, New Delhi |
| DR G. M. SAXENA, Director (Chem) | Director General, ISI (<i>Ex-officio Member</i>) |

Secretary

DR R. A. KHAN
Assistant Director (Chem), ISI

Fertilizers & Allied Products Subcommittee, CDC 24:2

Convener

DR K. N. SYNGHAL Ministry of Agriculture & Irrigation (Crops
Division)

Members

SHRI A. C. GARG (*Alternate* to
Dr K. N. Singhal)
SHRI M. R. AGARWAL The Fertilizer Corporation of India Ltd, Trombay
Unit, Bombay
SHRI P. G. DIVE (*Alternate*)
SHRI A. W. COURT Shaw Wallace & Co Ltd, Madras
SHRI M. S. RAMACHARI (*Alternate*)
DR B. K. DHAR Ministry of Agriculture & Irrigation (Fertilizer
Division)
SHRI K. R. AGGARWAL (*Alternate*)
SHRI M. C. GARG Indian Explosives Ltd, Kanpur
SHRI R. NARAYANAN (*Alternate*)
DR A. B. GHOSH Indian Agricultural Research Institute, New Delhi
SHRI B. S. GILRA Delhi Cloth & General Mills Co Ltd, New Delhi
SHRI V. R. R. GUPTA Madras Fertilizers Ltd, Madras
DR T. S. VISWANATHAN (*Alternate*)

(Continued on page 10)

**AMENDMENT NO. 1 MAY 2012
TO
IS 8558 : 1977 SPECIFICATION FOR
NEEM CAKE FOR MANURING**

[Page 5, clause 3.2(d)] — Substitute 'Net quantity; and' *for* 'Net mass; and'.

(FAD 7)

Reprography Unit, BIS, New Delhi, India

Indian Standard

SPECIFICATION FOR *NEEM* CAKE FOR MANURING

0. FOREWORD

0.1 This Indian Standard was adopted by the Indian Standards Institution on 5 July 1977, after the draft finalized by the Acids and Fertilizers Sectional Committee had been approved by the Petroleum, Coal and Related Products Division Council.

0.2 Large quantities of *NEEM* cake is available in the country and is used for manuring. It has an additional advantage of possessing pesticidal properties and is finding favour with agriculturists. *NEEM* cake acts as nitrification inhibitor.

0.3 In the preparation of this standard assistance has been derived from the data furnished by the manufacturers of the oilcakes and different research institutes and particularly the All India Non-edible Oil Industry Association, Pune.

0.3.1 Reference has also been made to the following publication:

MITRA (C R). *NEEM*, 1963. Indian Central Oilseeds Committee, Hyderabad.

0.4 For particle size, the use of IS Sieves conforming to IS: 460-1962* is prescribed. Where IS Sieves are not available, other standard sieves as judged from aperture size may be used.

0.5 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS: 2-1960†. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

*Specification for test sieves (*revised*).

†Rules for rounding off numerical values (*revised*).

1. SCOPE

1.1 This standard prescribes the requirements and methods of sampling and test for *NEEM* cake for manuring. The oilcake obtained by all processes, including solvent extraction, is covered in this standard.

2. REQUIREMENTS

2.1 Description — The material shall be of uniform texture, clean and free from adulterants, such as sand, dust and metallic pieces.

2.2 The material shall pass wholly through 2.36 mm IS Sieve of which not less than 70 percent shall pass through 850-microns IS Sieve (*see* IS : 460-1962*).

2.3 The material shall comply with the requirements given in Table 1 when tested according to the methods prescribed in IS : 7874 (Part I)-1975† and Appendix A. Reference to relevant clauses of IS : 7874 (Part I)-1975† is given in col 5 of the table.

TABLE 1 REQUIREMENTS FOR *NEEM* CAKE FOR MANURING

| Sl. No. | CHARACTERISTIC | REQUIREMENT | METHOD OF TEST, REF TO CL NO. IN | |
|---------|--|-------------|-------------------------------------|-------------------------------|
| | | | Appendix A | IS : 7874 (Part I)-1975* |
| (1) | (2) | (3) | (4) | (5) |
| i) | Moisture, percent by mass, <i>Max</i> | 10 | — | 4 |
| ii) | Water insoluble organic nitrogen, percent by mass, on moisture-free basis, <i>Min</i> | 2.5 | A-3 | — |
| iii) | Total ash, percent by mass, <i>Max</i> | 13 | — | 9 |
| iv) | Acid insoluble ash, percent by mass, on moisture- free basis, <i>Max</i> | 5 | — | 10 |

*Methods of tests for animal feeds and feeding stuffs: Part I General methods.

*Specification for test sieves (*revised*).

†Methods of tests for animal feeds and feeding stuffs: Part I General methods.

3. PACKING AND MARKING

3.1 Packing — The material shall be packed in HDPE bags or jute bags with loose polyethylene film or in such other containers as agreed to between the purchaser and the supplier. The material shall be packed in 25 or 50 kg container or as agreed to between the purchaser and the supplier.

3.2 Marking — Each bag shall be suitably marked indicating clearly that the material is 'for manuring' and shall also be marked with the following information:

- a) Name of the material;
- b) Name of the manufacturer;
- c) Batch number;
- d) Net mass; and
- e) Date of packing.

3.2.1 The bags may also be marked with the ISI Certification Mark.

NOTE — The use of the ISI Certification Mark is governed by the provisions of the Indian Standards Institution (Certification Marks) Act and the Rules and Regulations made thereunder. The ISI Mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard under a well-defined system of inspection, testing and quality control which is devised and supervised by ISI and operated by the producer. ISI marked products are also continuously checked by ISI for conformity to that standard as a further safeguard. Details of conditions under which a licence for the use of the ISI Certification Mark may be granted to manufacturers or processors, may be obtained from the Indian Standards Institution.

4. SAMPLING

4.1 Representative test samples of the material shall be drawn as prescribed in Appendix B.

5. TEST METHODS

5.1 Tests for the requirements specified in 2 shall be carried out according to the methods prescribed in IS: 7874 (Part I)-1975* and Appendix A.

*Methods of tests for animal feeds and feeding stuffs: Part I General methods.

A P P E N D I X A

[*Clause 2.3, and Table 1, Item (ii)*]

METHOD OF TEST FOR WATER INSOLUBLE ORGANIC NITROGEN

A-1. QUALITY OF REAGENTS

A-1.1 Unless specified otherwise, pure chemicals and distilled water (*see* IS : 1070-1977*) shall be used in tests.

NOTE — ' Pure chemicals ' shall mean chemicals that do not contain impurities which affect the results of analysis.

A-2. PREPARATION OF THE TEST SAMPLES

A-2.1 Representative test samples of the material shall be prepared as prescribed in 3 of IS : 7874 (Part I)-1975†.

A-3. GENERAL

A-3.1 Water insoluble organic nitrogen is determined by Kjeldahl method.

A-4. PROCEDURE

A-4.1 Proceed as prescribed in 5.2 to 5.4.1.1 of IS : 7874 (Part I)-1975† and calculate the water insoluble organic nitrogen as given in 5.5.1 of IS : 7874 (Part I)-1975†.

A P P E N D I X B

(*Clause 4.1*)

SAMPLING OF NEEM CAKE FOR MANURING

B-1. GENERAL REQUIREMENTS

B-1.0 In drawing, preparing, storing and handling samples, the following precautions and directions shall be observed.

*Specification for water for general laboratory use (*second revision*).

†Methods of tests for animal feeds and feeding stuffs: Part I General methods.

B-1.1 Samples shall be taken in a protected place not exposed to damp air, dust or soot.

B-1.2 The sampling device shall be clean and dry when used.

B-1.3 Precautions shall be taken to protect the samples, the material being sampled, the sampling device and the containers for samples from adventitious contamination.

B-1.4 The samples shall be placed in clean and dry containers. The sample containers shall be of such a size that they are almost completely filled by the sample.

B-1.5 Each container shall be sealed airtight after filling and marked with full details of sampling, date of sampling, batch or code number, name of the manufacturer and other important particulars of the consignment.

B-1.6 All the samples shall be stored in such a manner that there is no deterioration of the material.

B-1.7 Sampling shall be done by a person agreed to between the purchaser and the vendor and in the presence of the purchaser (or his representative) and the vendor (or his representative).

B-2. SCALE OF SAMPLING

B-2.1 Lot — All the bags in a single consignment of the material, drawn from a single batch of manufacture shall constitute a lot. If a consignment is declared to consist of different batches of manufacture, the batches shall be grouped separately and the batches in each group shall constitute a separate lot.

B-2.2 For ascertaining the conformity of the material in the lot to the requirements of the specification, samples shall be tested from each lot separately.

B-2.3 The number of bags to be selected from the lot shall depend on the size of the lot and shall be in accordance with Table 2.

TABLE 2 SCALE OF SAMPLING

| NO. OF BAGS IN THE LOT | SAMPLE SIZE |
|------------------------|-------------|
| (1) | (2) |
| Up to 50 | 3 |
| 51 „ 100 | 4 |
| 101 „ 200 | 5 |
| 201 „ 300 | 7 |
| 301 „ 800 | 8 |
| 801 „ 1 300 | 9 |
| 1 301 and above | 10 |

B-2.3.1 The bags shall be chosen at random from the lot and for this purpose a random number table shall be used. For guidance and use of random number tables, IS : 4905-1968* may be referred. In the absence of a random number table, the following procedure may be adopted:

Starting from any bag in the lot count them as 1, 2, 3,..... up to r and so on where r is the integral part of N/n . N being the number of bags in the lot and n the number of bags to be chosen. Every r th bag so counted shall be withdrawn to constitute the required sample size.

B-3. TEST SAMPLE AND REFEREE SAMPLE

B-3.1 Draw by an appropriate sampling device equal quantities of material from the top, bottom and the sides of each bag selected according to Table 2. The total quantity of material drawn from each bag shall be sufficient to make triplicate determinations for all the characteristics given in the specification. Mix all the portions of material drawn from the same bag thoroughly.

B-3.1.1 From the mixed material from each selected bag a small but approximately equal quantity of material shall be taken from each selected bag so as to form a composite sample. The quantity of material in the composite sample shall be sufficient to make triplicate determinations for all the characteristics tested on the composite sample. The composite sample shall be divided into 3 equal parts and transferred to clean and dry containers and labelled with the particulars of sampling given in **B-1.5** and sealed airtight. One of these samples shall be for the purchaser, another for the supplier and the third for the referee.

B-3.1.2 The portions of material from each selected bag (after the material for composite sample has been taken) shall constitute a test sample representing that particular bag. These shall be transferred immediately to clean and dry sample containers sealed air-tight. These shall be levelled with the particulars of sampling given in **B-1.5**. The individual samples obtained as above shall be formed into 3 sets in such a way that each set has a test sample representing each bag selected. One of the sets shall be for the purchaser, another for the supplier and the third for the referee.

B-3.1.3 Referee Sample — Referee sample shall consist of a set of test samples (see **B-3.1.2**) and one composite sample (see **B-3.1.1**) and shall bear the seals of purchaser and the supplier. It shall be kept at a place agreed to between the two and used in case of a dispute.

*Methods for random sampling.

B-4. NUMBER OF TESTS

B-4.1 Tests for water insoluble organic nitrogen shall be conducted on each of the individual samples.

B-4.2 Tests for remaining characteristics given in Table 1 shall be conducted on the composite sample.

B-5. CRITERIA FOR CONFORMITY

B-5.1 The lot shall be declared as conforming to the requirements of the specification if each of the test results on the individual sample satisfies the specified requirements and all test results on the composite sample meet the relevant requirements given in the specification.

(Continued from page 2)

Members

Representing

| | |
|--|---|
| SHRI K. L. LUTHRA | Pyrites Phosphates and Chemicals Ltd, New Delhi |
| SHRI K. R. K. MURTHY | Coromandel Fertilizers Ltd, Hyderabad |
| SHRI CH. S. PRASAD (Alternate) | |
| DR B. S. NAGRAJ | Neyveli Lignite Corporation, Neyveli |
| SHRI R. SRINIVASA RAO (Alternate) | |
| SHRI SATYA NAND | The Fertilizer Association of India, New Delhi |
| SHRI V. S. SIVASHANKARAN (Alternate) | |
| DR R. NATARAJAN | Southern Petro-chemical Industries Corporation, Tuticorin |
| SHRI R. S. RAMAN (Alternate) | |
| SHRI N. S. PARTHASARTHY | E. I. D.-Parry (India) Ltd, Madras |
| SHRI A. G. KIRPAL SINGH (Alternate) | |
| SHRI K. D. PURI | Indian Sugar Mills Association, New Delhi |
| SHRI V. A. SANGHANI | Gujarat State Fertilizer Co, Vadodara |
| SHRI M. D. PATEL (Alternate) | |
| DR V. C. SHUKLA | Haryana Agricultural University, Hissar |
| DR M. L. CHOUDHARY (Alternate) | |
| SHRI L. R. TALWAR | Indian Farmers Fertilizer Cooperative Ltd, New Delhi |
| SHRI S. JACOB (Alternate) | |
| SHRI ABRAHAM THOMAS | The Fertilizers and Chemicals Travancore Ltd, Udyogamandal |
| SHRI R. SANKARAN NAIR (Alternate) | |
| DR S. VERMA | The Fertilizer Corporation of India Ltd, Sindri Unit, Dhanbad |
| DR K. M. VERMA (Alternate) | |

Panel for Oil-Cakes for Fertilizer Purposes, CDC 24:2:2

Convener

| | |
|----------------|---|
| DR O. P. VIMAL | Indian Agricultural Research Institute, New Delhi |
|----------------|---|

Members

| | |
|---------------------------------------|--|
| SHRI S. N. AGARWAL | U. P. Oil Millers Association, Aligarh |
| DR R. APPADURAI | Tamilnadu Agricultural University, Coimbatore |
| DEPUTY COMMISSIONER (MANURES) | Ministry of Agriculture and Irrigation, New Delhi |
| SHRI GOVIND PANDURANG GOKHALE | Directorate of Agriculture, Agricultural Department, Maharashtra State |
| SHRI A. G. KIRPAL SINGH | E. I. D.-Parry (India) Ltd, Madras |
| SHRI S. GOPALASWAMY (Alternate) | |
| SHRI V. LAKSHMIKANTHAN | Khadi and Village Industries Commission, Bombay |
| SHRI J. N. BHATTACHARYA (Alternate) | |
| DR N. PATNAIK | Indian Council of Agricultural Research, New Delhi |
| DR G. S. RAJALE | The Tata Oil Mills Co Ltd, Bombay |
| SHRI V. NARAYAN (Alternate) | |
| SHRI R. RAMACHANDRAN | Rallis India Ltd, Bombay |
| SHRI R. K. SETHI | Solvent Extractors Association of India, Bombay |
| SHRI HARISH SETHI | Directorate of Oilseeds Development, Hyderabad |
| DR R. N. MOHANTY (Alternate) | |
| SHRI S. D. THIRUMALA RAO | Oil Technological Research Institute, Anantpur (Andhra Pradesh) |
| SHRI G. AZEEMODDIN (Alternate) | |